




Xinghong lite 2023-2024
Professional LED Solutions




Company Profile

Xinghong Lite Technology Co., Ltd. is committed to the development of LED lighting industry since its inception,, we focus on create a set of research, development, design, manufacturing, and sales as one of the new solid-state lighting professional company.

LED lighting products are widely used in the field of engineering lighting, commercial lighting, home lighting areas. To provide innovative, environmentally friendly, energy-efficient LED lighting products to meet customers' changing needs, the company focuses on product innovation and R & D, and gradually improve the product development process. Our products are mainly exported to Europe, America, Southeast Asia and other regions, are highly recognized in different markets. In order to ensure that our products are more stable, more reliable, better performance, the company has developed a set of rigorous product testing and quality control system. Product components and raw materials are all in accordance with the relevant standards of rigorous testing, MeanWhile, we also working closely cooperate with professional third-party laboratory, detect product in accordance with the latest international standards. In order to meet the needs of the global market, our products have won the international certifications as followings



Provide the environmental protection, energy saving, high efficiency, high quality LED lighting products is the relentless pursuit of xinghong lighting. Through continuous innovation and efforts to illuminate a wonderful green tomorrow with our customers







XINGHONG LITE
兴弘照明

Magnetic track series
磁吸轨道系列

Ultrathin magnetic attraction track



The connecting instruction for the connector of 2 wire track



Ultrathin magnetic attraction track
超薄磁吸轨道

无缝轨道拼接

可直角/垂直拼接，百变灵动，让家更有可能性





XH-CB-F**



ITEM:	XH-CB-F10	XH-CB-F15	XH-CB-F20
INPUT:	DC48V	DC48V	DC48V
Power:	10W OSRAM	15W OSRAM	20W OSRAM
CCT:	3000/4000/6000K	3000/4000/6000K	3000/4000/6000K
Color:	Black / White	Black / White	Black / White
Size:	L300*W22*H13mm	L450*W22*H13mm	L600*W22*H13mm

XH-CB-G**



ITEM:	XH-CB-GS6-**K	XH-CB-GS12-**K	XH-CB-GS18-**K
INPUT:	DC48V	DC48V	DC48V
Power:	6W OSRAM	12W OSRAM	18W OSRAM
CCT:	3000/4000/5000K	3000/4000/5000K	3000/4000/5000K
Color:	Black / White	Black / White	Black / White
Size:	L116*W22*H21mm	L233*W22*H21mm	L350*W22*H21mm

XH-CB-Z*



ITEM:	XH-CB-Z6-**K	XH-CB-Z12-**K	XH-CB-Z18-**K
INPUT:	DC48V	DC48V	DC48V
Power:	6W OSRAM	12W OSRAM	18W OSRAM
CCT:	3000/4000/5000K	3000/4000/5000K	3000/4000/5000K
Color:	Black / White	Black / White	Black / White
Size:	135*22*44mm	230*22*44mm	345*22*44mm

XH-CB-S**



ITEM:	XH-CB-S5-**K	XH-CB-S7-**K
INPUT:	DC48V	DC48V
Power:	5W OSRAM	7W OSRAM
CCT:	3000/4000/5000K	3000/4000/5000K
Color:	Black / White	Black / White
Size:	φ 35*100mm	φ 40*115mm

XH-CB-C**



ITEM:	XH-CB-C01-**K	
INPUT:	DC48V	
Power:	7W OSRAM	
CCT:	3000/4000/5000K	
Color:	Black / White	
Size:	φ 30*400mm	

XH-CB-C02



ITEM:	XH-CB-C02-**K	
INPUT:	DC48V	
Power:	12W OSRAM	
CCT:	3000/4000/5000K	
Color:	Black / White	
Size:	171*41mm	



XH-CBDY*00-W/B



ITEM:	XH-CBDY100-B/W	XH-CBDY200-B/W
INPUT:	AC220V	AC220V
Power:	100W	200W
Color:	Black / White	Black / White
Size:	255*22*19mm	330*22*19mm



Magnetic track



I- Connector



Flat L-connector



T-Connector



X-Connector



Corner L-Connector



I- Connector



Flat L-connector



T-Connector



X-Connector




Corner L-Connector



End Cap

直线拼接器

使轨道水平无缝拼接



十字拼接器

使轨道可以有更多的造型



20 Magnetic track series
20 磁吸轨道系列



Surface mounted track(XH-MT20**)



Embedded track(XH-GP20**)




Embedded concealed track(XH-EM20**)


ITEM:	XH-MT/EM/GP2010**	XH-MT/EM/GP2020**	XH-MT/EM/GP2030**
CURRENT:	25A	25A	25A
Color:	Black / White	Black / White	Black / White
Size:	1000mm	2000mm	3000mm
Packing:	8PCS/Carton	8PCS/Carton	8PCS/Carton




Flat L-connector




Vertical corner




Flat L-connector




Corner L-Connector




T-Track Corner



I- Connector



Corner module



T-type connector module



XH-FG20**

tuya 涂鸦智能 zigbee Ripp Home Dali 0-10V



ITEM:	XH-FG2012-**K	XH-FG2024-**K	XH-FG2040-**K
INPUT:	DC48V	DC48V	DC48V
LED:	OSRAM	OSRAM	OSRAM
Power:	12W	24W	40W
CCT:	3000/4000/5000K	3000/4000/5000K	3000/4000/5000K
Color:	Black / White	Black / White	Black / White
Size:	300*26*22mm	600*26*22mm	1200*26*22mm

XH-GS20**

tuya 涂鸦智能 zigbee Ripp Home Dali 0-10V




ITEM:	XH-GS2006-**K	XH-GS2012-**K	XH-GS2018-**K
INPUT:	DC48V	DC48V	DC48V
LED:	OSRAM	OSRAM	OSRAM
Power:	6W	12W	18W
CCT:	3000/4000/5000K	3000/4000/5000K	3000/4000/5000K
Color:	Black / White	Black / White	Black / White
Size:	110*26*22mm	220*26*22mm	330*26*22mm

XH-GS20**

tuya 涂鸦智能 zigbee Ripp Home Dali 0-10V



ITEM:	XH-ZD2006-**K	XH-ZD2012-**K	XH-ZD2018-**K
INPUT:	DC48V	DC48V	DC48V
LED:	OSRAM	OSRAM	OSRAM
Power:	6W	12W	18W
CCT:	3000/4000/5000K	3000/4000/5000K	3000/4000/5000K
Color:	Black / White	Black / White	Black / White
Size:	113*91*23mm	220*91*23mm	326*91*23mm



XH-FG20**



zigbee



Ripp
Home

Dali 0-10V



10°30°

20°40°



ITEM:	XH-XQ007W-W/B	XH-XQ012W-W/B	XH-XQ020W-W/B
INPUT:	DC48V	DC48V	DC48V
Power:	7W	12W	20W
CCT:	2700~6000K	2700~6000K	2700~6000K
Beam angle:	10°30°、20°40°	10°30°、20°40°	10°30°、20°40°
Color:	White/Black	White/Black	White/Black
Cut Size:	91*41mm	171*41mm	251*41mm

XH-GS20**



zigbee




Ripp
Home

Dali 0-10V



ITEM:	XH-XQ012W-W/B	XH-XQ024W-W/B
INPUT:	DC48V	DC48V
Power:	12W	24W
CCT:	2700~6000K	2700~6000K
Color:	White/Black	White/Black
Cut Size:	260*150	260*150



XH-CD20**

tuya 涂鸦智能 zigbee Ripp Home Dali 0-10V



ITEM:	XH-CD2005-**K	XH-ZD2010-**K	XH-ZD2015-**K
INPUT:	DC48V	DC48V	DC48V
LED:	OSRAM	OSRAM	OSRAM
Power:	5W	10W	15W
CCT:	3000/4000/5000K	3000/4000/5000K	3000/4000/5000K
Color:	Black / White	Black / White	Black / White
Size:	φ 40*80mm	φ 50*110mm	φ 60*150mm

XH-XD20**

tuya 涂鸦智能 zigbee Ripp Home Dali 0-10V



ITEM:	XH-XD2010-**K	
INPUT:	DC48V	
Power:	10W OSRAM	
CCT:	3000/4000/5000K	
Color:	Black / White	
Size:	φ 40*400mm	

XH-GS20**

tuya 涂鸦智能 zigbee Ripp Home Dali 0-10V



圆环吊线灯

ITEM:	XH-XD2110-**K	
INPUT:	DC48V	
Power:	10W OSRAM	
CCT:	3000/4000/5000K	
Color:	Black / White	
Size:	φ 50*400mm	



XH-GS20**



ITEM:	XH-DY2100-B/W	XH-DY2200-B/W	
INPUT:	AC220V	AC220V	
Power:	100W	200W	
Color:	Black / White	Black / White	
Size:	225*23*25mm	305*23*25mm	


XH-GS20**



ITEM:	XH-QDY2100-B/W	XH-QDY2110-B/W	
INPUT:	AC100~220V	AC100~220V	
Power:	100W	200W	
Color:	Black / White	Black / White	
Size:	225*23*25mm	305*23*25mm	



Installation method:



Concealed flush installation process


1. Make holes on the fixed plate
(hole size: 50-80mm, space on
the ceiling ≥ 80 mm)

**Note: The fixing plate must be
able to bear the weight**


50~80mm

2. Power off the wiring, put the track into
the ceiling slot


220V




3. Use self-tapping screws to fix
the guide rail with screws on the
edge of the guide rail, and make
sure it is firm




4. Cover the outer plate at the lower end of
the guide rail, the height of the outer plate
is the same as that of the lower end of the
guide rail, and the track is energized and
tested




5. Use self-tapping screws to fix
the outer plate



6. Batch ash 2-3 times until the gap
between the outer plate and the guide
rail is completely covered to complete the
installation



Magnetic track :




Surface mounted track





Embedded concealed track



Surface mounted track
M1510/15/20/30-W/B




Embedded concealed track
N1510/15/20/30-W/B



低户型都适合 无忧安装

Time goes by so fast, people go in and out of your life.
You must never miss the opportunity to tell these people how much they mean to you.



Flat L-connector



Corner L-Connector



T-Connector



X-Connector



Power input modue



I- Connector



Corner module



T-Connector



XH-FG**-**



ITEM:	XH-FG-10S	XH-FG-15S	XH-FG-20S
INPUT:	DC48V	DC48V	DC48V
Power:	10W OSRAM	15W OSRAM	20W OSRAM
CCT:	3000/4000/6000K	3000/4000/6000K	3000/4000/6000K
Color:	Black / White	Black / White	Black / White
Size:	L405*W17*H18mm	L555*W17*H18mm	L705*W17*H18mm

XH-GS**-**



ITEM:	XH-GS-12	XH-GS-18	XH-GS-24
INPUT:	DC48V	DC48V	DC48V
Power:	12W OSRAM	18W OSRAM	24W OSRAM
CCT:	3000/4000/5000K	3000/4000/5000K	3000/4000/5000K
Color:	Black / White	Black / White	Black / White
Size:	L238*W16*H21mm	L352*W16*H21mm	L466*W16*H21mm

XH-KTGS**



ITEM:	XH-KTGS-6-**K	XH-KTGS-12-**K	XH-KTGS-18-**K
INPUT:	DC48V	DC48V	DC48V
Power:	6W OSRAM	12W OSRAM	18W OSRAM
CCT:	3000/4000/5000K	3000/4000/5000K	3000/4000/5000K
Color:	Black / White	Black / White	Black / White
Size:	135*22*44mm	230*22*44mm	345*22*44mm

XH-GD-***



ITEM:	XH-GD-355-***K	XH-GD-357-***K	XH-GD-4010-***K
INPUT:	DC48V	DC48V	DC48V
Power:	5W OSRAM	7W OSRAM	7W OSRAM
CCT:	3000/4000/5000K	3000/4000/5000K	3000/4000/5000K
Color:	Black / White	Black / White	Black / White
Size:	φ 35*102mm	φ 35*102mm	φ 40*115mm

XH-CD-305S



ITEM:	XH-CD-305S-***K	
INPUT:	DC48V	
Power:	5W OSRAM	
CCT:	3000/4000/5000K	
Color:	Black / White	
Size:	φ 30*400mm	

XH-CD307S



圆环吊线灯

ITEM:	XH-CD-307S-***K	
INPUT:	DC48V	
Power:	7W OSRAM	
CCT:	3000/4000/5000K	
Color:	Black / White	
Size:	φ 40*400mm	

Mini Magnetic track series



迷你磁吸轨道系列



XH-DY5100/5200-B/W



ITEM:	XH-DY5100-B/W	XH-DY5200-B/W
INPUT:	AC220V	AC220V
Power:	100W	200W
Color:	Black / White	Black / White



The wall washing effect is very uniform, which can be made into ceiling mounted, rail mounted, embedded installation, and can be varied



Surface mounted



Tack fix




Recessed fix

LED Wall Washer LED洗墙灯

XH-FG20**




Ripp Home Dali 0-10V




ITEM:	XH-DL024W	XH-DL024B
INPUT:	AC220V	AC220V
Power:	24W	24W
CCT:	2700~6000K	2700~6000K
Color:	White	Black
Cut Size:	275*50	275*50

XH-GS20**




Ripp Home Dali 0-10V




ITEM:	XH-GS2006-**K	XH-GS2012-**K	XH-GS2018-**K
INPUT:	DC48V	DC48V	DC48V
LED:	OSRAM	OSRAM	OSRAM
Power:	6W	12W	18W
CCT:	3000/4000/5000K	3000/4000/5000K	3000/4000/5000K
Color:	Black / White	Black / White	Black / White
Size:	110*26*22mm	220*26*22mm	330*26*22mm

XH-GS20**




Ripp Home Dali 0-10V



ITEM:	XH-ZD2006-**K	XH-ZD2012-**K	XH-ZD2018-**K
INPUT:	DC48V	DC48V	DC48V
LED:	OSRAM	OSRAM	OSRAM
Power:	6W	12W	18W
CCT:	3000/4000/5000K	3000/4000/5000K	3000/4000/5000K
Color:	Black / White	Black / White	Black / White
Size:	113*91*23mm	220*91*23mm	326*91*23mm



XINGHONG LITE
兴弘照明

LED Wall Washer
LED洗墙灯

XH-DL010*-**K



zigbee



Ripp
Home

Dali 0-10V



ITEM:	XH-DL010W	XH-DL010B
INPUT:	AC220V	AC220V
Power:	10W	10W
CCT:	2700~6000K	2700~6000K
Color:	White	Black
Cut Size:	φ 75	φ 75

XH-CD010*-**K



zigbee



Ripp
Home

Dali 0-10V



ITEM:	XH-DL110W	XH-DL110B
INPUT:	AC220V	AC220V
Power:	10W	10W
CCT:	2700~6000K	2700~6000K
IP:	IP55	IP55
Color:	White	Black
Cut Size:	φ 75	φ 75

XH-DL010*-**K



zigbee



Ripp
Home

Dali 0-10V



ITEM:	XH-CD009W	XH-CDL009B
INPUT:	AC220V	AC220V
Power:	9W	9W
CCT:	2700~6000K	2700~6000K
Color:	White	Black
Cut Size:	φ 75	φ 75

LED Wall Washer
LED洗墙灯

XH-CD012*-**K



zigbee



Ripp
Home

Dali 0-10V



ITEM:	XH-CD012W	XH-CDL012B
INPUT:	AC220V	AC220V
Power:	12W	12W
CCT:	2700~6000K	2700~6000K
Color:	White	Black
Cut Size:	φ 75	φ 75

XH-CD007S/CD009S-**K



zigbee



Ripp
Home

Dali 0-10V



ITEM:	XH-CD007S	XH-CDL009S
INPUT:	AC220V	AC220V
Power:	7W	9W
CCT:	2700~6000K	2700~6000K
Color:	Black	Black
Cut Size:	φ 75	φ 75

XH-CD012S/CD015S-**K



zigbee



Ripp
Home


Dali 0-10V



ITEM:	XH-CDL012S	XH-CDL015S
INPUT:	AC220V	AC220V
Power:	12W	15W
CCT:	2700~6000K	2700~6000K
Color:	Black	Black
Cut Size:	φ 75	φ 75



ZGL062




X pcs x Length of Lens/Reflector
286mm/pcs max length
< 4 meter

长度根据透镜或反光的
长度来定，不大于4米

Black / White



structure



COVRE



Honeycomb 蜂窝



Grille 格栅



BEAM



INSTALLATION



Pendant



Recessed(with trim)



Surface mounted

FITTINGS



END CAP



7 TYPE L



180° Extender



Retractor



Hanging wire

SOLUTIONS

- OFFICES 办公
- HOTEL 酒店
- BUSINESS AREAS 商务区
- SUPER MARKING 商场超市




XINGHONG LITE
兴弘照明

Optical line light
光学线条灯

FITTINGS


Honeycomb
蜂窝

GF062




Grille
格栅

GG062




Lens light up
上发光透镜

GT071




PC Cover
PC罩

ZZ062




Lens light down
下发光透镜

GT062-1




Lens light down
下发光透镜

GT062-2




Hanging buckle
挂扣

LL076




Backplane
背板

LL063




Body
主体

LL062




Frame
基架

LL065




Frame
基架

LL066




ITEMNO.

ALSO CAN DIY BY YOURSELF




ZGL062B1

+ LL076
+ LL063
+ LL062
+ LL065
+ GT062-1 4pcs
+ GG062 4pcs
+ ZZ062




ZGL062A1-1

+ LL076
+ LL063
+ LL062
+ LL065
+ GT062-1 4pcs
+ GG062 4pcs




ZGL062A1-2

+ LL076
+ LL063
+ LL062
+ LL066
+ GT062-2 4pcs
+ GG062 4pcs




ZGL062A2-3

+ LL076
+ LL063
+ LL062
+ LL065
+ GT071-1
+ GT062 4pcs
+ GF062 4pcs




ZGL062B2

+ LL076
+ LL063
+ LL062
+ LL065
+ GT062-1 4pcs
+ GF062 4pcs
+ ZZ062




ZGL062A2-1

+ LL076
+ LL063
+ LL062
+ LL065
+ GT062-1 4pcs
+ GF062 4pcs



ZGL062A2-2

+ LL076
+ LL063
+ LL062
+ LL066
+ GT062-2 4pcs
+ GF062 4pcs




ZGL062A1-3

+ LL076
+ LL063
+ LL062
+ LL065
+ GT071-1
+ GT062-1 4pcs
+ GF062 4pcs

FITTINGS


Honeycomb
蜂巢

GF070




Grille
格栅

GG070




Lens light up
上发光透镜

GT071




Lens light up
上发光透镜

GT071-1




PC Cover
PC罩

ZZ070




Lenslightdown
下发光透镜

GT070




Hangingbuckle
挂扣

LL076




Backplane
背板

LL073




Body
主体

LL070




Frame
基架

LL072




ITEMNO.

ALSO CAN DIY BY YOURSELF




ZGL070A0

+ LL076
+ LL073
+ LL072
+ LL070
+ GT070 4pcs




ZGL070A1

+ LL076
+ LL073
+ LL072
+ LL070
+ GT070 4pcs
+ GG070 4pcs




ZGL070A2

+ LL076
+ LL073
+ LL072
+ LL070
+ GT070 4pcs
+ GF070 4pcs




ZGL070B1

+ LL076
+ LL073
+ LL072
+ LL070
+ GT070 4pcs
+ GG070 4pcs
+ ZZ070




ZGL070C

+ LL076
+ LL073
+ LL072
+ ZZ070




ZGL070A1-3

+ LL076
+ LL073
+ LL072
+ LL070
+ GT071-1
+ GT070 4pcs
+ GG070 4pcs




ZGL070A2-3

+ LL076
+ LL073
+ LL072
+ LL070
+ GT071-1
+ GT070 4pcs
+ GF070 4pcs



ZGL070B2

+ LL076
+ LL073
+ LL072
+ LL070
+ GT070 4pcs
+ GF070 4pcs
+ ZZ070



ZGL123A1

9pcs x 132mm/pcs



ZGL123B1

2pcs x 132mm/pcs+PC cover length flow your mean < 4 meter



+ PC Cover

ZGL123A2

9pcs x 132.5mm/pcs




ZGL123B2

2pcs x 132.5mm/pcs+PC cover length flow your mean < 4 meter



+ PC Cover

ZGL123




Black / White



COVRE

Optical suite Reflector/Lens



光学套件可选 反光杯/透镜



BEAM



INSTALLATION




FITTINGS



SOLUTIONS

- OFFICES 办公
- HOTEL 酒店
- BUSINESS AREAS 商务区
- SUPER MARKING 商场超市



LL-062

Size: N x L286 x W70 x H70.3mm
L<4000MM/PCS

INSTALLATION




悬挂式安装
Hanging installation

FITTINGS



堵头 END CAP 吊线 Pendant wire



LL070

Size: N x L281 x W52.3 x H68mm
L<4000MM/PCS

INSTALLATION




悬挂式安装
Hanging installation

FITTINGS



堵头 END CAP 吊线 Pendant wire



LL071

Size: N x L159 x W39.8 x H66mm
L<4000MM/PCS

INSTALLATION




悬挂式安装
Hanging installation

FITTINGS



堵头 END CAP 吊线 Pendant wire



LC001

Size: N x L281 x W51 x H50mm
L<3600MM/PCS

INSTALLATION




悬挂式安装
Hanging installation

FITTINGS



堵头 END CAP 吊线 Pendant wire



LC003

Size: N x L159 x W39.2 x H60mm
L<3600MM/PCS

INSTALLATION




悬挂式安装
Hanging installation

FITTINGS



堵头 END CAP 吊线 Pendant wire



LL100

Size: N x L96 x W21.8 x H50mm
L<3600MM/PCS

INSTALLATION




悬挂式安装
Hanging installation

FITTINGS



堵头 END CAP 吊线 Pendant wire



LL086

Size: N x L132 x W34 x H62.5mm
L<3600MM/PCS

INSTALLATION




悬挂式安装
Hanging installation

FITTINGS



堵头 END CAP 吊线 Pendant wire



LL082

Size: N x L236 x W55 x H78mm
L<3600MM/PCS

INSTALLATION




悬挂式安装
Hanging installation

FITTINGS



堵头 END CAP 吊线 Pendant wire



LL101

Size: N x L96 x W32 x H26.5mm
L<4000MM/PCS

INSTALLATION



FITTINGS




LZ128

Size: N x L100 x W15.5 x H62mm
L<3600MM/PCS

INSTALLATION



FITTINGS




LL185

Size: N x L132 x W46 x H37.8mm
L<3600MM/PCS

INSTALLATION



FITTINGS




LZ129

Size: N x L114 x W24.2 x H66mm
L<3600MM/PCS

INSTALLATION



FITTINGS




LL077

Size: N x L132 x W46 x H34mm
L<3600MM/PCS

INSTALLATION



FITTINGS




LZ130

Size: N x L103 x W25 x H66mm
L<3600MM/PCS

INSTALLATION



FITTINGS




LL084

Size: N x L236 x W66 x H52mm
L<3600MM/PCS

INSTALLATION



FITTINGS



LZ123


Size: N x L132 x W34 x H40mm
L<3600MM/PCS

INSTALLATION



FITTINGS





LC008

Size: N x L114 x W22 x H34.5mm
L<3600MM/PCS

INSTALLATION




悬挂式安装
Hanging installation

FITTINGS



堵头 END CAP 吊线 Pendant wire



LC009

Size: N x L190 x W40.8 x H45mm
L<3600MM/PCS

INSTALLATION




悬挂式安装
Hanging installation

FITTINGS



堵头 END CAP 吊线 Pendant wire



LC005A

Size: N x L1200 x W52.5 x H68mm
L<3600MM/PCS

INSTALLATION





悬挂式安装
Hanging installation

FITTINGS



堵头 END CAP 吊线 Pendant wire



LZ131

Size: N x L190 x W40.8 x H66mm
L<3600MM/PCS

INSTALLATION




悬挂式安装
Hanging installation

FITTINGS



堵头 END CAP 吊线 Pendant wire



LC005B

Size: N x L1200 x W72.6 x H44.4mm
L<3600MM/PCS

INSTALLATION





嵌入式安装
Embedded installation

FITTINGS



堵头 END CAP 卡簧 Spring Clip



LZ133

Size: N x L190 x W54.8 x H65mm
L<3600MM/PCS

INSTALLATION




悬挂式安装
Hanging installation

FITTINGS



堵头 END CAP 吊线 Pendant wire



LC005C

Size: N x L1200 x W52.5 x H41.2mm
L<3600MM/PCS

INSTALLATION




悬挂式安装
Hanging installation

FITTINGS




堵头 END CAP 吊线 Pendant wire



FITTINGS


Hanging buckle
挂扣

LZ1555




Frame
基架

LZ1553




Frame
基架

LZ1552




Body
主体

LL096




Reflector
反光杯

GF086-1




Reflector
反光杯

GF086-2





PC Cover
PC罩

ZZ095




PC Cover
PC罩

ZZ096




ITEM NO.

Other models can be assembled by yourself
其它型号可自行组合




ZGL096A1

+ LZ1555
+ LZ1553
+ LL096
+ GF086-1




ZGL096A2

+ LZ1555
+ LZ1553
+ LL096
+ GF086-2




ZGL096A3

+ LZ1555
+ LZ1553
+ LL096
+ ZZ096
+ GF086-2




ZGL096B1

+ LZ1555
+ LZ1553
+ LZ1552
+ LL096
+ ZZ095
+ ZZ096
+ GF086-1



ZGL096B2

+ LZ1555
+ LZ1553
+ LZ1552
+ LL096
+ ZZ095
+ ZZ096
+ GF086-2




ZGL096C

+ LZ1555
+ LZ1552
+ LL096
+ ZZ095



ZGL096



light up and down

Black / White



COVRE

PC Cover
PC罩



Reflector
反光杯



BEAM



30°



45°



90°

INSTALLATION



Pendant



Recessed (with trim)



Surface mounted

FITTINGS



END CAP



7 TYPE



L TYPE



180° Extender Hanging wire


SOLUTIONS

- OFFICES 办公
- HOTEL 酒店
- BUSINESS AREAS 商务区
- SUPER MARKING 商场超市

Aluminium profile for hard led strips ➤



想 象 无 极 限 应 用 无 极 限



CN-506

Size: Lx14.4x8.8mm PCB: 12.4mm

INSTALLATION



表面固定安装
Surface Mounted




无边嵌入式安装
Embedded installation

FITTINGS



堵头 END CAP 安装夹子 Mounting clips



CN-509

Size: Lx17.4x7mm PCB: 12mm

INSTALLATION



表面固定安装
Surface Mounted




无边嵌入式安装
Embedded installation

FITTINGS



堵头 END CAP 安装夹子 Mounting clips



CN-510

Size: Lx13.2x7mm PCB: 12mm

INSTALLATION



表面固定安装
Surface Mounted




无边嵌入式安装
Embedded installation

FITTINGS



堵头 END CAP 安装夹子 Mounting clips



CN-524

Size: Lx14.5x14.5mm PCB: 12.9mm

INSTALLATION



表面固定安装
Surface Mounted





无边嵌入式安装
Embedded installation

FITTINGS



堵头 END CAP 安装夹子 Mounting clips



CN-526

Size:Lx16.2x9.2mm PCB:14mm

INSTALLATION




表面固定安装
Surface Mounted

FITTINGS



堵头END CAP 安装夹子 Mounting clips



CN-121

Size:Lx20x15mm PCB:18mm

INSTALLATION



表面固定安装
Surface Mounted





无边嵌入式安装
Embedded installation

FITTINGS



堵头END CAP 安装夹子 Mounting clips



CN-101

Size:Lx8x9mm PCB:6mm

INSTALLATION



表面固定安装
Surface Mounted




无边嵌入式安装
Embedded installation

FITTINGS



堵头END CAP 安装夹子 Mounting clips



CN-122

Size:Lx20x20mm PCB:18mm

INSTALLATION



表面固定安装
Surface Mounted




无边嵌入式安装
Embedded installation

FITTINGS



堵头END CAP 安装夹子 Mounting clips



CN-101B

Size:Lx12x9mm PCB:6mm

INSTALLATION




嵌入式安装
Embedded installation

FITTINGS



堵头END CAP 安装夹子 Mounting clips



CN-122B

Size:Lx32x20mm PCB:18mm

INSTALLATION




嵌入式安装
Embedded installation

FITTINGS



堵头END CAP 安装夹子 Mounting clips



CN-102

Size:Lx10x10mm PCB:8mm

INSTALLATION



表面固定安装
Surface Mounted




无边嵌入式安装
Embedded installation

FITTINGS



堵头END CAP 安装夹子 Mounting clips



CN-123

Size:Lx24x20mm PCB:21mm

INSTALLATION



表面固定安装
Surface Mounted





无边嵌入式安装
Embedded installation

FITTINGS



堵头END CAP 安装夹子 Mounting clips



CN-605

Size: Lx24x12mm PCB: 12mm

INSTALLATION




嵌入式安装
Embedded installation

FITTINGS



堵头 END CAP 安装夹子 Mounting clips



CN-606


Size: Lx42x24mm PCB: 12mm

INSTALLATION




边角式安装
Corner installation

FITTINGS



堵头 END CAP 安装夹子 Mounting clips



CN-610

Size: Lx15.5x5.9mm PCB: 11.4mm

INSTALLATION



表面固定安装
Surface Mounted




无边嵌入式安装
Embedded installation

FITTINGS



堵头 END CAP 安装夹子 Mounting clips



CN-613

Size: Lx17.2x14.2mm PCB: 12mm

INSTALLATION



表面固定安装
Surface Mounted




无边嵌入式安装
Embedded installation

FITTINGS



堵头 END CAP 安装夹子 Mounting clips



CN-613B

Size: Lx24x14.2mm PCB: 12mm

INSTALLATION




嵌入式安装
Embedded installation

FITTINGS



堵头 END CAP 安装夹子 Mounting clips



CN-614

Size: Lx19x19mm PCB: 12mm

INSTALLATION




边角式安装
Corner installation

FITTINGS



堵头 END CAP 安装夹子 Mounting clips



CN-616

Size:Lx19.3x13mm PCB:15.5mm

INSTALLATION



表面固定安装
Surface Mounted




无边嵌入式安装
Embedded installation

FITTINGS



堵头 END CAP 安装夹子 Mounting clips



CN-617

Size:Lx24x10mm PCB:21mm

INSTALLATION



表面固定安装
Surface Mounted




无边嵌入式安装
Embedded installation

FITTINGS



堵头 END CAP 安装夹子 Mounting clips



CN-618

Size:Lx21.7x5.7mm PCB:11.4mm

INSTALLATION




嵌入式安装
Embedded installation

FITTINGS



堵头 END CAP 安装夹子 Mounting clips



CN-619

Size:Lx30.3x9.8mm PCB:21mm

INSTALLATION




嵌入式安装
Embedded installation

FITTINGS



堵头 END CAP 安装夹子 Mounting clips



CN-621

Size:Lx27x12mm PCB:12mm

INSTALLATION



表面固定安装
Surface Mounted




无边嵌入式安装
Embedded installation

FITTINGS



堵头 END CAP 安装夹子 Mounting clips



CN-623

Size:Lx20x20mm PCB:16mm

INSTALLATION



悬挂式安装
Hanging installation




吸顶式安装
Ceiling mount

FITTINGS



堵头 END CAP 吊线 Product wire



CN-624

Size:Lx10x13mm PCB:8mm

INSTALLATION



表面固定安装
Surface Mounted




无边嵌入式安装
Embedded installation

FITTINGS



堵头 END CAP 安装夹子 Mounting clips



CN-624B

Size:Lx17x13mm PCB:8mm

INSTALLATION




嵌入式安装
Embedded installation

FITTINGS



堵头 END CAP 安装夹子 Mounting clips




CN-123B

Size: Lx30x20mm PCB: 21mm

INSTALLATION



FITTINGS




CN-124

Size: Lx30x10mm PCB: 28mm

INSTALLATION



FITTINGS




CN-201

Size: Lx24x9mm PCB: 6mm

INSTALLATION



FITTINGS





CN-301

Size: Lx41x17mm PCB: 12mm

INSTALLATION



FITTINGS




CN-302

Size: Lx26x22mm PCB: 23mm

INSTALLATION



FITTINGS



CN-711


Size: Lx44x35mm PCB: 32mm

INSTALLATION



FITTINGS





CN-724A

Size: Lx43x20mm PCB: 27mm

INSTALLATION





嵌入式安装
Embedded installation

FITTINGS



堵头 END CAP 安装夹子 Mounting clips



CN-725

Size: Lx30x30mm PCB: 26mm

INSTALLATION



悬挂式安装
Hanging installation




吸顶式安装
Ceiling mount

FITTINGS



堵头 END CAP 吊线 Pendant wire



CN-808

Size: Lx44x35mm PCB: 31mm

INSTALLATION




嵌入式安装
Embedded installation

FITTINGS



堵头 END CAP 安装夹子 Mounting clips



CN-809

Size: Lx35x35mm PCB: 31mm

INSTALLATION




吸顶式安装
Ceiling mount

FITTINGS




堵头 END CAP 安装夹子 Mounting clips

Aluminum profiles for office lights
办公灯铝型材套件系列



想 象 无 极 限 应 用 无 极 限




CN-707

Size: Lx65x76mm PCB: 29mm

INSTALLATION



FITTINGS




CN-707A

Size: Lx50x76mm PCB: 29mm

INSTALLATION



FITTINGS




CN-902

Size: Lx50x75mm PCB: 25mm

INSTALLATION



FITTINGS




CN-903

Size: Lx70x75mm PCB: 45mm

INSTALLATION



FITTINGS




CN-710

Size: Lx36x67mm PCB: 32mm

INSTALLATION



FITTINGS




CN-901


Size: Lx40x75mm PCB: 15mm

INSTALLATION



FITTINGS






CN-151B

Size: Lx71x32mm PCB: 37mm

INSTALLATION



FITTINGS





CN-156

Size: Lx60x35mm PCB: 50mm

INSTALLATION



FITTINGS




CN-152B

Size: Lx91x35mm PCB: 55mm

INSTALLATION



FITTINGS




CN-901B

Size: Lx40x40mm PCB: 15mm

INSTALLATION



FITTINGS




CN-153B

Size: Lx117x35mm PCB: 80mm

INSTALLATION



FITTINGS




CN-902B

Size: Lx50x40mm PCB: 25mm

INSTALLATION



FITTINGS




CN-154B

Size: Lx135x35mm PCB: 98mm

INSTALLATION



FITTINGS



CN-903B



Size: Lx70x40mm PCB: 45mm

INSTALLATION



FITTINGS





CN-103B

Size: Lx35x15mm PCB: 13mm

INSTALLATION




平角嵌入式安装
Flat angle flush mount

FITTINGS



堵头 END CAP



CN-639

Size: Lx56x15mm PCB: 13mm

INSTALLATION




平角嵌入式安装
Flat angle flush mount

FITTINGS



堵头 END CAP



CN-646

Size: Lx53x24mm PCB: 13mm

INSTALLATION




阳角嵌入式安装
Angle Embedded Installation

FITTINGS



堵头 END CAP



CN-647

Size: Lx48x27mm PCB: 13mm

INSTALLATION



阴角嵌入式安装
Inner angle embedded installation


FITTINGS




堵头 END CAP



ZDR067-600	Φ600 x 75 mm	ZDR067-400	Φ400 x 75 mm
ZDR067-1000	Φ1000 x 75 mm	ZDR067-800	Φ800 x 75 mm
ZDR067-1400	Φ1400 x 75 mm	ZDR067-1200	Φ1200 x 75 mm
		ZDR067-1600	Φ1600 x 75 mm



ZDE067-760	760 x 471.5 x 75 mm
ZDE067-1000	1000 x 618 x 75 mm
ZDE067-1200	1200 x 741.5 x 75 mm








ZDS067-400	1000 x 400 x 75 mm
ZDS067-600	1200 x 600 x 75 mm
ZDS067-800	1400 x 800 x 75 mm




ZDW067-R200/R300/R400



BENDING SERIES







2835低压灯带系列


产品特点

- 1、使用超高亮度SMD，节能环保
- 2、光衰小，使用寿命长
- 3、12V/24V低压供电，安全稳定
- 4、3个/6个LED一回路，可根据实际进行裁剪
- 5、背面贴3M胶，安装方便
- 6、采用柔软的FPC作基板，可任意弯曲不断，易于成型
- 7、广泛应用于商店橱窗、KTV、酒店装修、楼梯轮廓、公园小区美化等LED亮化工程



PRODUCT CHARACTER

- 1.Using high brightness SMD, energy conservation and environmental protection.
- 2.Small Lumens depreciation, long service life.
- 3.12V/24V Low voltage power supply, more security and stability.
- 4.Three LED strips a loop, can be cut according to the actual.
- 5.Stick on the back of 3M glue, using fixed card clamps, convenient installation.
- 6.Using the FPC as a soft substrate, Can be arbitrary bent without broken, easy to shape.
- 7.This item can be widely used in shop windows, KTV, hotel, decorate stair outline, park district landscaping, and LED lighting engineering.



Strip light

Aluminum Accessory

Voltage	LED Qty/m	Power/M	Color	LM /M	LW/W	CRI	PCB Width	Cutting size
12V/24 V	60	6W	3000K/4000K/6000K	680	110	>80	8mm	5cm
12V/24 V	120	16W	3000K/4000K/6000K	2000	145	>80	5/8/10mm	2.5cm
12V/24 V	168	20W	3000K/4000K/6000K	2100	140	>80	5/8/10mm	3.6cm
12V/24 V	240	24W	3000K/4000K/6000K	2300	110	>80	10mm	1.25cm
12V/24 V	120	16W	3000K+6000K	2100	145	>80	8mm	2.5cm
12V/24 V	168	20W	3000K+6000K	2600	145	>80	8mm	3.6cm



Flex LED Strips


低压灯带系列

产品特点

- 1、使用超高亮度SMD，节能环保
- 2、光衰小，使用寿命长
- 3、24V低压供电，安全稳定
- 4、背面贴导热3M胶，导热效果好，安装方便
- 5、采用柔软的FPC作基板，可任意弯曲不断，易于成型
- 6、广泛应用于商店橱窗、KTV、酒店装修、楼梯轮廓、线条灯

PRODUCT CHARACTER

- 1.High brightness SMD, Energy conservation and environment protection.
- 2.High luminescence efficiency, small light wane and long service life.
- 3.24V Low voltage power supply , safety and stability.
- 4.3M thermal conductivity adhesive tape with the advantages of better effect of absorbing heat and conducting heat, easy installation.
- 5.Using the FPC as a soft substrate, Can be arbitrary bent without broken, easy to shape.
- 6.Application for shop of window, KTV, hotel decoration, stair outline, linear light.



Voltage	LED Qty/m	Power/M	Color	LM/M	LM/W	CRI	PCB Width	Cutting size
24V	140	10W	3000K/4000K/6000K	1200	140	>90	10mm	5cm
24V	180	18W	3000K/4000K/6000K	680	95	>90	4mm	3.3cm
24V	280	22W	3000K/4000K/6000K	2100	120	>90	10mm	2.5cm
24V	350	26W	3000K/4000K/6000K	2900	120	>90	10mm	2cm
24V	560	28W	3000K/4000K/6000K	4100	130	>90	10mm	1.25cm
24V	700	35W	3000K/4000K/6000K	4200	130	>90	12mm	1cm
24V	240	20W	3000K+6000K	1200	120	>90	10mm	5cm
24V	360	26W	3000K+6000K	1800	120	>90	10mm	3.3cm





COB low-voltage strip light

Application

This product can be used for :

- 1.Decorate shopping mall, super market
- 2.Club, store, hotel, restaurant, school, library, art gallery, museum, office
3. Large building, building exterior decoration
- 4.Window display lighting, mirror decoration, large scale backlight
- 5.Indoor and outdoor lighting and for festival decoration.



Product name	LED/m	Volt	W/m	PCB Width	Color	CRI
White color COB Strip	320LED	5V	8W	8mm	2700K	>90
	320LED	24V	9W	8mm	3000K	>90
	320LED	24V	11W	8mm	4000K	>90
	384LED	24V	10W	8mm	6000K	>90
	384LED	24V	10W	5mm	RED/BLE/ GREEN/PI	>90
	480LED	24V	11W	8mm	NK/COLD	>90
	512LED	24V	11W	8mm	BLUE	>90

Cob dual color temperature cob led strip

Product Feature:

Led Lighting New Trend--COB strip

Easy to bend and shape

Spot-free Lighting effect:

No need to rely on other accessories to achieve a spot - free linear lighting effect.

Both Indoors & Outdoors


Various waterproof methods for choice: IP65-Silicone surface coating, IP65-Heat shrink, IP67-Silicone tube, IP68-Full injecting.

It can meet all kinds of indoor and outdoor lighting needs.



Product name	LED/m	Volt	W/m	PCB Width	Color	CRI
CCT COB Strip	560LED	24V	10W+10W	10	CCT	>90
	560LED	24V	10W+10W	10		>90
	576LED	24V	10W+10W	10		>90





Multicolor Change + Warm White



24V Full Color RGBW COB LED Strips

Feature

Flexible full color pixel Light addressable rgb led strip

- 1) Low power consumption, energy saving and environment protection.
- 2) High brightness 5050 SMD LED light strip
- 3) Uniformity of light, soft glow in a row, rich colors.
- 4) Match the RGB controller and power supplier system.
- 5) Wide viewing angle.
- 6) Available in various single and RGB colors.

Product name	LED/m	Volt	W/m	PCB Width	Color	CRI
RGBW COB Strip	560LED	24V	16W	10	RGBW	>90
RGB COB Strip	720LED	24V	15W	10	RGB	
	840LED	24V	15W	10		


XINGHONG LITE

兴弘照明

线条柔性霓虹灯带

NEONSTRIP

FLEXIBLE LIGHTS SERIES



NEON STRIP

LINEAR NEON FLEX

线条柔性霓虹灯带


产品特点

- 1、使用超高亮度SMD，节能环保
- 2、光衰小，使用寿命长
- 3、12V/24V/220V电压可选供电，安全稳定
- 4、0.5米/1米一回路，可根据实际进行裁剪
- 5、采用环保PVC材料封装，使用固定卡夹，安装方便
- 6、采用柔软的FPC作基板，可任意弯曲不断，易于成型
- 7、广泛应用于商店橱窗、KTV、酒店装修、楼梯轮廓、公园 小区美化等LED亮化工程



PRODUCT CHARACTER

- 1.Using high brightness SMD, energy conservation and environmental protection.
- 2.Small Lumens depreciation, long service life.
- 3.12V/24V/220V Low voltage power supply, more security and stability.
- 4.0.5 to1 meter loop, can be cut according to the actual.
- 5.Using PVC material for environmental protection, convenient installation.
- 6.Using the FPC as a soft substrate, Can be arbitrary bent without broken, easy to shape.
- 7.This item can be widely used in shop windows, KTV, hotel, decorate stair outline, park district landscaping, and LED lighting engineering.





Voltage	LED	LED Qty/m	Color	Conductor	Shape&Size	Material	CRI	Power/M	Cutting size
24V	2835	120	3000K/4000K/6000K	Wire	10x20	PVC	>80	7W	50cm
24V	2835	168	3000K/4000K/6000K	Wire-Free	12x8	PVC	>80	7W	3.6cm
24V	2835	168	3000K/4000K/6000K	Wire-Free	12x15	PVC	>80	8W	3.6cm

Color Selection : 2500K /2700K/3000K/3500K/4000K/5000K/6000K/Red/Green/Blue/Lemon/Pink/Purple/Amber/Ice Blue/Yellow



XINGHONG LITE
兴弘照明

LED light strip intelligent controller LED 智能控制器



LED light strip intelligent controller LED 灯带智能控制器

XH-WY001-TY/ZI/MJ/RH



Ripp
Home



Dual color controller

ITEM:	XH-WY001-TY/ZI/MJ/RH
INPUT:	DC12-24V 10A
I out:	10 A
Power:	120W~240W

XH-RGB001-TY/ZI/MJ/RH



Ripp
Home



ITEM:	XH-RGB001-TY/ZI/MJ/RH
INPUT:	DC12-24V 10A
I out:	10 A
Power:	120W~240W

XH-RGBW001-TY/ZI/MJ/RH



Ripp
Home



ITEM:	XH-RGBW001-TY/ZI/MJ/RH
INPUT:	DC12-24V 10A
I out:	10 A
Power:	120W~240W